



**Water & Sewerage
Department**

Scott A. MacGriff
General Counsel and Chief Compliance Officer
 735 Randolph Street, Detroit, MI 48226
 313.880.2476 • scott.macgriff@detroitmi.gov

FOIA Requests - March 2026

File #	Full Name	Description of the Requested Documents/Data	Date Received	Due Date	Date Responded
26-77	Linda Smith	Please send a report of all water bills paid for the property at 19705 Lahser, Detroit MI, parcel number 22113625.001 for the dates May 1, 1995 to present for the purpose of a legal court case. Thank you.	3/26/2026	4/16/2026	Pending
26-76	Ashley Hackman	Reaching out to obtain the awarded bid tabulation sheet, including contractor names, bid amounts, and unit prices per line item for the winner of, "RFB# 534108/DWS-974A - Emergency Inspection, Rehabilitation & Replacement of Sewers Throughout Detroit" project, which closed on 09/29/2025. BidNet Reference Number: 0000395601 Please let me know if there is anything further I can provide to assist in the process!	3/25/2026	4/15/2026	Pending
26-75	Ashley Hackman	Reaching out to obtain the awarded bid tabulation sheet, including contractor names, bid amounts, and unit prices per line item for the winner of, "RFB #534108/Project # DWS-974 - Emergency Inspection, Rehabilitation & Replacement of Sewers Throughout Detroit" project, which closed on 06/23/2025. BidNet Reference Number: 0000388126 Please let me know if there is anything further I can provide to assist in the process!	3/25/2026	4/15/2026	Pending
26-74	Elizabeth Wainer	I would like copies of the RFB description/solicitation for RFB 543634 Purchase of Water Meters, as well as all bidder submissions for the RFB.	3/25/2026	4/15/2026	Pending
26-73	VONDA D WILLIAMS	I just paid 111.00 on bill sent a shut off notice for 25th also tried to call in to get on payment plan to avoid shut off. Please have a representative call me soon as possible.	3/23/2026	4/13/2026	Pending

26-72	Lorin W. Graves	<p>Water Quality Investigation Report March 19,2026 13:35 am.</p> <p>City of Detroit due diligence and public safety efforts after American Home Solutions contractor:</p> <p>Ready Dig Excavation LLC arrived at 3451 IROQUOIS ST Detroit, MI 48214 3/16/2026 contaminating (photo attached) my water service line and refuse to correct this problem until city pipe inspection is complete.</p> <p>Please send a copy of the water quality investigation report created for 3451 Iroquois St, Detroit, MI 48214 after the contractor intentionally violated The Lead Copper Rule.</p> <p>I also need a water department inspector to come on my site today to investigate this SERIOUS HEALTH water contamination violation from this contractor cutting directly into the city lead service line to attach brass fittings without FIRST REMOVING the entire lead service line.</p> <p>I need your inspectors to CONFIRM that the inlet service line is indeed made of lead, so that it can be safely removed as soon as possible.</p> <p>Water lead remediation and filtration cannot occur for this address until your inspection is complete.</p> <p>Currently on bottled water since this fiasco!</p>	3/19/2026	4/9/2026	Pending
26-71	Olivia Allison	<p>We would like to request a summary history for the property located at 1601 S Bassett, covering the period from the date it was purchased by the owner in March 2022 to the present.</p>	3/18/2026	4/8/2026	Pending
26-70	Andrew Paul Murray	<p>was hit by a DWSD truck on March 1st</p>	3/18/2026	4/8/2026	Pending
26-69	taylor Himbury	<p>Hello, Partner would like to submit an open records request for the properties located at 24605 W Seven Mile Road and 24600 Grand River Ave, Detroit, Michigan concerning:</p> <ul style="list-style-type: none"> - Permits, Analytical Reports, Violations, or Enforcements, presence of a water well on the property - Wastewater Discharge Permits/Analytical Reports, Stormwater Compliance 	3/17/2026	4/7/2026	Pending

26-68	Isaac Rose	Pursuant to the Michigan Freedom of Information Act, we respectfully request all your records of uncashed/unclaimed checks/assets and funds owed, from oldest possessed until three months from today. If some of this request is exempt from release, please release the remainder of the record which is admissible. Please provide all outstanding/uncashed/stale dated checks/properties that are greater than \$1000 . For each item, please provide issue dates, payee names, addresses, and dollar amounts due. If possible, an excel document would be the desired format. Please note that I am not requesting a listing of records which have already been escheated. Please indicate the process needed to have these checks reissued. If some of this request is exempt, please release the admissible material.	3/17/2026	4/7/2026	Pending
26-67	Isaac Rose	Pursuant to the Michigan Freedom of Information Act, we respectfully request all your records of uncashed/unclaimed checks/assets and funds owed, from oldest possessed until three months from today. If some of this request is exempt from release, please release the remainder of the record which is admissible. Please provide all outstanding/uncashed/stale dated checks/properties that are greater than \$1000 . For each item, please provide issue dates, payee names, addresses, and dollar amounts due. If possible, an excel document would be the desired format. Please note that I am not requesting a listing of records which have already been escheated. Please indicate the process needed to have these checks reissued. If some of this request is exempt, please release the admissible material.	3/17/2026	4/7/2026	Pending
26-66	Bridget Scallen	Please provide all records of water & sewage billing & payment history, service shut-offs and work orders, and customer service calls for all DWSD accounts in the name of Jeffrey Cowin (or Jeffery Cowin, or Jeff Cowin) for January 1, 2025-April 13, 2026 (closest possible date to April 16 BOWC meeting), for the addresses 888 Virginia Park, 874 Virginia Park, 866 Virginia Park, 159 Virginia Park, 110 Virginia Park, and 82 Alfred Street (not all addresses may be in Jeffrey Cowin's name although those properties are owned by him). Thank you.	3/16/2026	4/6/2026	Pending
26-65	Emily Kreuzsch	I am looking for any and all records in relation to the site below, particularly the most recent records. 2731 McDougall and 2968 Charlevoix	3/16/2026	4/6/2026	Pending
26-64	Henry Yandt Construction, LLC (Asst	We are reaching out to obtain the "WS-754 - LEAD WATER SERVICE LINE REPLACEMENT - CADILLAC HEIGHTS" from the "486240 / DWS-919 - HARD RESTORATION REPAIRS OF PAVEMENT, SIDEWALKS, DRIVEWAYS & CURB CUTS - DETROIT" project. If additional information is required to process this request, please let me know. BidNet Reference Number 0000283600 Thank you in advance for your assistance in this process!	3/16/2026	4/6/2026	Pending

26-63	Henry Yandt Construction, LLC (Asst	<p>We are reaching out to obtain the awarded bid tabulation sheet, including contractor names, bid amounts, and unit prices per line item from the winner of the "486240 / DWS-919 - HARD RESTORATION REPAIRS OF PAVEMENT, SIDEWALKS, DRIVEWAYS & CURB CUTS - DETROIT" project, which closed on 03/30/2022. If additional information is required to process this request, please let me know.</p> <p>BidNet Reference Number 0000283600</p> <p>Thank you in advance for your assistance in this process!</p>	3/16/2026	4/6/2026	Pending
26-62	Jade Hopkins	<p>Good Afternoon,</p> <p>I am looking for a Hydrant Flow test or any water supply information within a mile radius of: 9500 Grand River Ave, Detroit, MI 48204. This is for insurance purposes only. I am not looking for a new test to be completed unless the test is free. The data I need is:</p> <p>StaticResidualTotal GPM FlowLocationDate</p> <p>Please let me know if there is any data for this location or if there is another person I should reach out to.</p> <p>Thank you,</p> <p>Jade Hopkins Loss Control Admin Support II The Cincinnati Insurance Company 6200 South Gilmore Rd, Fairfield, OH 45014 T: 513-973-3089</p>	3/16/2026	4/6/2026	Pending
26-61	Trevor Kohne	<p>All records pertaining to the current and/or historical presence of water wells and/or septic systems for the property addressed at 525 West Lafayette Boulevard (Fort Shelby Hotel)</p>	3/16/2026	4/6/2026	Pending

26-60	suryan207 Ryan	<p>I am requesting an opportunity to inspect or obtain copies of public records that include names, hourly payrates, titles, hire dates, date of separation, union bargaining unit and level designations as of March 17, 2026 for those employed by Detroit Water and Sewerage Department, City of Detroit in all titles.</p> <p>If there are any fees for searching or copying these records, please inform me if the cost will exceed \$20.</p> <p>However, I would also like to request a waiver of all fees in that the disclosure of the requested information is in the public interest and will contribute significantly to the public's understanding of our water rates. This information is not being sought for commercial purposes.</p> <p>The Michigan Freedom of Information Act requires a response to this request within five days. If access to the records I am requesting will take longer than this amount of time, please contact me with information about when I might expect copies or the ability to inspect the requested records.</p> <p>If you deny any or all of this request, please cite each specific exemption you feel justifies the refusal to release the information and notify me of the appeal procedures available to me under the law.</p>	3/14/2026	4/3/2026	Pending
26-59	Jennifer Keel-Drummond	<p>Sewer backup from rainfall - Basement- flood. Date and time period of July 18, 2021 or July 20, 2021.</p> <p>Customer has a return address of: 25351 Orchard Lake Rd Farmington Hills, MI 48336</p>	3/13/2026	4/3/2026	Pending
26-58	Kayla Botkin	<p>SUBJECT PROPERTY: 19320 GABLE ST DETROIT MI, 48234</p> <p>Please provide updated billing statement and account ledger. Property recently foreclosed is REO and in escrow with buyer. We received the response to the previous FOIA request but need updated amount due(statement&ledger) to close escrow. Thank You!</p> <p>Kayla Botkin REO Curative Assistant Direct 951.254.9040 Office 951.254.9027 Fax 978.367.5985 Kayla@prominentescrow.com www.ProminentEscrow.com 3 Pointe Drive, Suite 200 Brea, CA 92821</p>	3/11/2026	4/1/2026	Pending

26-57	Dawud Salahuddeen	<p>I am requesting all available Detroit Water and Sewerage Department (DWSD) records related to the property located at:</p> <p>12098 Flanders St Detroit, MI</p>	3/11/2026	4/1/2026	Pending
26-56	Natasjma bailey	Hello I am requesting to start service at the address given	3/11/2026	4/1/2026	Pending
26-55	Raghdah Yousif	<p>Hello,</p> <p>I am writing regarding the sewer issue at my building. The City of Detroit came and resolved the problem, and it has now been fixed.</p> <p>I kindly request an official report or confirmation stating that the issue has been repaired. I need this document so my insurance company can send an adjuster to inspect the damage to my property and personal belongings.</p> <p>Please let me know if you need any additional information from me.</p> <p>Thank you for your help</p>	3/10/2026	4/1/2026	Pending
26-54	Altisource solutions inc	<p>Hi Team,</p> <p>I am writing to request for Utility Invoice for Water, Trash and Sewer account . I am looking to pay the Outstanding balances in full and would appreciate your assistance in providing me with the necessary information to do so.</p> <p>Address:- 12346 Elmdale St , MI 48213</p> <p>Please help us with the following Information:</p> <ul style="list-style-type: none"> • The Current outstanding balance on water and sewer accounts (If any Waste or garbage) • The date by which the payment is due. • The payment methods and the mailing address where the payment is to be mailed to. • The Invoice copy and billing History for the account pertaining to the property. <p>I would appreciate receiving this information as soon as possible so that I can make arrangement to pay the accounts. Thank you for your Prompt attention to this matter.</p> <p>If you have any questions, Please do not hesitate to contact and reply back to the same Email.</p>	3/10/2026	3/31/2026	Pending
26-53	Ari Watts	Any history of water/sewer service for this property prior to the year 2015. Has there been water service to this property in its history? Is there still main water pipe access to this property?	3/9/2026	3/30/2026	Pending

26-52	Jade Hopkins	<p>Good Morning,</p> <p>I am looking for a Hydrant Flow test or any water supply information within a mile radius of: 8650 Mt. Elliott Dr., Detroit, MI 48211. This is for insurance purposes only. I am not looking for a new test to be completed unless the test is free. The data I need is:</p> <p>StaticResidualTotal GPM FlowLocationDate</p> <p>Please let me know if there is any data for this location or if there is another person I should reach out to.</p> <p>Thank you,</p> <p>Jade Hopkins Loss Control Admin Support II The Cincinnati Insurance Company 6200 South Gilmore Rd, Fairfield, OH 45014 T: 513-973-3089 Email: jade_hopkins@cinfin.com</p>	3/9/2026	3/30/2026	Pending
26-51	Danielle Lee	Inland Waters Pollution Control, Inc. is requesting ITEMIZED BID TABULATIONS for the Emergency Inspection, Rehabilitation and Replacement of Sewers throughout the City of Detroit on an as-needed basis bid. Bid Date 9/29/2025	3/6/2026	3/27/2026	Pending
26-50	Michelle Harrell	<p>Water and sewer bills, payment history, computation and notices of delinquency or liens for water charges.</p> <p>2920 Scotton Ave, 2880 Scotten & 2800 Scotten</p>	3/5/2026	3/26/2026	3/26/2026
26-49	Jose Rios	Utility records for new home construction at 17690 Joy Road and 17660 Joy Road.	3/4/2026	3/25/2026	3/26/2026
26-48	Lena Simms	I need a copy of the lease Mr. Martin submitted to obtain service	3/4/2026	3/25/2026	3/26/2026

26-47	Cyndi Roper - NRDC	<p>Please provide a copy of the current Criticality Risk Model Revision Technical memorandum that describes the risk model used to prioritize projects in DWSD's current asset management program. The file "CS-1812_Risk ModelV5 2021-21-1 FINAL" was provided as the copy of the current risk model in 2022. Please also identify and provide a copy of any other revisions of the risk model between the file provided in 2022 and the current technical memorandum.</p> <p>Please provide copies of any criticality model output, analysis, or maps used to support the development of DWSD's current asset management plan.</p> <p>Please also provide the current version of DWSD's asset management plan.</p>	3/3/2026	3/24/2026	3/26/2026
26-46	Altisource solutions inc	<p>Hi Team,</p> <p>I am writing to request a Utility Invoice for Water and Sewer account . I am looking to pay the Outstanding balances in full and would appreciate your assistance in providing me with the necessary information to do so.</p> <p>Address:- 12346 Elmdale St</p> <p>Please help us with the following Information:</p> <ul style="list-style-type: none"> • The Current outstanding balance on water and sewer accounts (If any Waste or garbage) • The date by which the payment is due. • The payment methods and the mailing address where the payment is to be mailed to. • The Invoice copy and billing History for the account pertaining to the property. <p>I would appreciate receiving this information as soon as possible so that I can make arrangement to pay the accounts. Thank you for your Prompt attention to this matter</p>	3/2/2026	3/23/2026	3/23/2026
26-45	L'Tanya Berry	<p>Property sold and final reading appointment was missed. New owner unable to get final reading at this point but service has been put into the new owner's name, Sheldon Lovejoy. I am working to assist previous owner in settling his escrow account and prove he does not owe anything to DWSD.</p>	3/2/2026	3/23/2026	3/23/2026