

# Detroit Water and Sewerage Department Meeting Agenda - Final

735 Randolph Street Detroit, Michigan 48226 (313) 224-4704 Office dwsd.legistar.com

# **Capital Improvement Program and Operations Committee**

Wednesday, August 6, 2025

1:45 PM

To attend by phone call one of these numbers: +1 301 715 8592, +1 312 626 6799, +1 267 831

033

Use Meeting ID: 815 7263 5118 Use Passcode: 482262021

To attend online:

https://cityofdetroit.zoom.us/j/81572635118

Use Passcode: 482262021

# **CIPO Committee Meeting will be held virtually**

- 1. CALL TO ORDER
- 2. ROLL CALL
- 3. APPROVAL OF AGENDA
- 4. APPROVAL OF MINUTES

July 2, 2025

- 5. PUBLIC PARTICIPATION (3 minutes per speaker)
- 6. COMMUNICATIONS

None

7. UNFINISHED BUSINESS

None

- 8. NEW BUSINESS
- A. <u>2025-180</u> GLWA Five-Year CIP for Upcoming FY

**Sponsors:** Smalley

Attachments: GLWA.CIP Presentation.DWSD\_August 2025

B. <u>2025-181</u> Review of Engineering and Planning Programs

Sponsors: Gosine

Attachments: DWSD CIP Update Aug 2025

## 9. PLANNING CALENDAR (17-0130)

Presentation of GLWA Five-Year CIP for Upcoming FY - July Review of Engineering and Planning Programs - August

#### 10. OTHER MATTERS

### 11. NEXT MEETING

September 3, 2025

#### 12. ADJOURNMENT

**How to Make a Request for Public Comment** 

You may provide your public comment via Zoom link: http://cityofdetroit.zoom.us/j/81572635118

During the public comment section for each committee meeting, raise your hand using the Zoom hand icon on your desktop or mobile device, or if calling into the meeting by phone, press \*9 to raise your hand (press \*6 to unmute when called upon).

We respectfully request that you maximize your three minutes by sharing all your comments/questions at one time. You will only be called upon once for public comment during the same committee meeting, full board meeting, or hearing.

Once the Chair closes public comment, there will be no other public comments accepted and all the attendees will remain muted for the duration of the meeting.